



Health	3
Fire	0
Reactivity	0
Personal Protection	E

Material Safety Data Sheet

Potassium chromate MSDS

Section 1: Chemical Product and Company Identification

Product Name: Potassium chromate

Catalog Codes: 11250, 21250

CAS#: 7789-00-6

RTECS: GB2940000

TSCA: TSCA 8(b) inventory: Potassium chromate

CI#: Not available.

Synonym: Bipotassium Chromate; Chromate of potass;
Dipotassium Chromate; Neutral potassium chromate;
Potassium chromate (VI)

Chemical Name: Chromic acid, dipotassium salt

Chemical Formula: K₂CrO₄

Contact Information:

Finar Limited

184-186/P, Chacharwadi Vasna,
Sarkhej-Bavla Highway,
Ta.: Sanand, Dist.: Ahmedabad,
Email: info@finarchemicals.com
Web: www.finarchemicals.com4

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Potassium chromate	7789-00-6	100

Toxicological Data on Ingredients: Potassium chromate: ORAL (LD50): Acute: 180 mg/kg [Mouse].

Section 3: Hazards Identification

Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (sensitizer), of inhalation (lung irritant). Slightly hazardous in case of skin contact (corrosive, permeator), of eye contact (corrosive). Prolonged exposure may result in skin burns and ulcerations. Over-exposure by inhalation may cause respiratory irritation. Severe over-exposure can result in death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Classified A1 (Confirmed for human.) by ACGIH, 1 (Proven for human.) by IARC. **MUTAGENIC EFFECTS:** Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast. **TERATOGENIC EFFECTS:** Not available. **DEVELOPMENTAL TOXICITY:** Not available. The substance may be toxic to kidneys, lungs, liver, upper respiratory tract, skin, eyes. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Non-flammable.

Auto-Ignition Temperature: Not applicable.

Flash Points: Not applicable.

Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: combustible materia

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: Not applicable.

Special Remarks on Fire Hazards:

Non combustible. May increase intensity of fire if in contact with combustible materials When heated to decomposition it emits toxic fumes.

Special Remarks on Explosion Hazards: Not available.

Section 6: Accidental Release Measures

Small Spill: Use appropriate tools to put the spilled solid in a convenient waste disposal container.

Large Spill:

Oxidizing material. Poisonous solid. Stop leak if without risk. Do not get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. Do not touch spilled material.

Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7: Handling and Storage

Precautions:

Keep away from heat. Keep away from sources of ignition. Keep away from combustible material.. Do not ingest. Do not breathe dust. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as combustible materials, organic materials.

Storage:

Keep container tightly closed. Keep container in a cool, well-ventilated area. Separate from acids, alkalies, reducing agents and combustibles. See NFPA 43A, Code for the Storage of Liquid and Solid Oxidizers.

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection:

Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

TWA: 0.05 (mg(Cr)/m) from ACGIH (TLV) [United States]Consult local authorities for acceptable exposure limits.

Section 9: Physical and Chemical Properties

Physical state and appearance: Solid. (Granular solid. Crystals solid.)

Odor: Odorless.

Taste: Not available.

Molecular Weight: 194.19 g/mole

Color: Yellow.

pH (1% soln/water): Not available.

Boiling Point: Not available.

Melting Point: 975°C (1787°F)

Critical Temperature: Not available.

Specific Gravity: 2.73 (Water = 1)

Vapor Pressure: Not applicable.

Vapor Density: Not available.

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: Not available.

Ionicity (in Water): Not available.

Dispersion Properties: See solubility in water.

Solubility: Easily soluble in cold water, hot water.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Incompatible materials

Incompatibility with various substances: Reactive with combustible materials, organic materials.

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Reactivity:

Hydrazine, combustible, organic, or other readily oxidizable materials: wood, paper, sulfur, aluminum, plastics, chromic acid, chromates.

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

Section 11: Toxicological Information

Routes of Entry: Absorbed through skin. Inhalation. Ingestion.

Toxicity to Animals: Acute oral toxicity (LD50): 180 mg/kg [Mouse].

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: Classified A1 (Confirmed for human.) by ACGIH, 1 (Proven for human.) by IARC. **MUTAGENIC EFFECTS:** Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast. May cause damage to the following organs: kidneys, lungs, liver, upper respiratory tract, skin, eyes.

Other Toxic Effects on Humans:

Very hazardous in case of skin contact (irritant), of ingestion, . Hazardous in case of skin contact (sensitizer), of inhalation (lung irritant). Slightly hazardous in case of skin contact (corrosive, permeator), of eye contact (corrosive).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans:

May cause adverse reproductive effects. May affect genetic material (mutagenic). May cause cancer

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects: Skin: Causes severe irritation, and possible skin burns. Contact with broken skin may cause ulcers (chrome sores) and absorption, which may cause systemic poisoning affecting behavior/central nervous system, kidney and liver. Absorption may also affect the gastrointestinal tract and cause nausea and vomiting. Eyes: Causes severe irritation, blurred vision, redness, pain and possible eye burns. May cause conjunctivitis, ulceration, and corneal injury/abnormalities or blindness. Inhalation: Corrosive. It is destructive to the tissues of the mucous membrane and the upper respiratory tract. It may cause severe irritation of the upper respiratory tract, mucous membranes, with pain, burns, and inflammation. It may cause burns to the respiratory , chemical bronchitis with coughing and difficulty in breathing, ulceration and perforation of the nasal septum. Symptoms may include sore throat, coughing, shortness of breath, labored breathing. It may cause pulmonary sensitization or allergic asthma. Higher exposures may cause pulmonary edemas. Ingestion: It can cause severe burns of the mouth, throat and stomach leading to death. Symptoms may include sore throat, nausea, vomiting, diarrhea, violent gastroenteritis, peripheral vascular collapse, dizziness, intense thirst, muscle cramps, shock, abnormal bleeding, fever, liver damage, and kidney damage (acute renal failure, toxic nephritis, albuminuria, necrosis in the kidney), violent gastrointestinal

distress, possible methemoglobin formation, coma, and circulatory collapse. Chronic Potential Health Effects: Although rare, system effects on the blood, liver, and kidneys from industrial exposure have been reported. Principal toxic effects of chromates from occupational point of view are exerted on skin, nasal mucosa, eye, larynx, and lungs. Signs and symptoms of chronic eye and skin contact may include lacrimation, conjunctivitis, eczematous contact dermatitis, penetrating ulcers that don't heal. Signs and symptoms of chronic inhalation may include perforation of the nasal septum, congestion, chronic rhinitis, polyps of the upper respiratory tract, inflammation of the lungs, emphysema, tracheitis, bronchitis, pharyngitis, adhesions of the diaphragm, inflammation of the larynx, respiratory irritations. Signs and symptoms of chronic ingestion are loss of appetite, nausea, vomiting, inflammation of the liver or even acute hepatitis with jaundice, leukocytosis, leukopenia, monocytosis, and eosinophilia.

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are less toxic than the product itself.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14: Transport Information

DOT Classification: CLASS 5.1: Oxidizing material.

Identification: : Oxidizing solid, n.o.s. (Potassium chromate) UNNA: 1479 PG: III

Special Provisions for Transport: Not available.

Section 15: Other Regulatory Information

Federal and State Regulations:

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute: Potassium chromate
California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Potassium chromate
Connecticut hazardous material survey.: Potassium chromate
Illinois chemical safety act: Potassium chromate
New York release reporting list: Potassium chromate
Pennsylvania RTK: Potassium chromate
Massachusetts RTK: Potassium chromate
Massachusetts spill list: Potassium chromate
New Jersey: Potassium chromate
New Jersey spill list: Potassium chromate
Louisiana spill reporting: Potassium chromate
California Director's List of Hazardous Substances : Potassium chromate
TSCA 8(b) inventory: Potassium chromate
TSCA 6 final risk management: Potassium chromate
TSCA 8(a) IUR: Potassium chromate
TSCA 12(b) one time export: Potassium chromate
SARA 313 toxic chemical notification and release reporting: Potassium chromate
CERCLA: Hazardous substances.: Potassium chromate: 10 lbs. (4.536 kg)

Other Regulations:

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada):

CLASS C: Oxidizing material. CLASS D-2A: Material causing other toxic effects (VERY TOXIC).

DSCL (EEC):

R36/37/38- Irritating to eyes, respiratory system and skin. R43- May cause sensitization by skin contact. R46- May cause heritable genetic damage. R49- May cause cancer by inhalation. R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S53- Avoid exposure - obtain special instructions before use. S60- This material and its container must be disposed of as hazardous waste. S61- Avoid release to the environment. Refer to special instructions/Safety data sheets.

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 0

Personal Protection: E

National Fire Protection Association (U.S.A.):

Health: 3

Flammability: 0

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/06/2010

Last Updated: 28/11/2012

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Finar Limited be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Finar Limited has been advised of the possibility of such damages.